

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

List PWS ID #s for all Water Systems Covered by this CCR

| The Force confidence must be | ederal Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer ence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR e mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request. |
|------------------------------|---|
| Please | Answer the Following Questions Regarding the Consumer Confidence Report |
| | Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other) |
| | □ Advertisement in local paper □ On water bills □ Other |
| | Date customers were informed:// |
| | CCR was distributed by mail or other direct delivery. Specify other direct delivery methods: |
| | Date Mailed/Distributed: / / |
| × | CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) |
| | Name of Newspaper: Starkville Daily News |
| | Date Published: 587/11 |
| | CCR was posted in public places. (Attach list of locations) |
| | Date Posted: / / |
| | CCR was posted on a publicly accessible internet site at the address: www |
| <u>CERTI</u> | FICATION |
| consiste | r certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is nent of Health, Bureau of Public Water Supply. |
| Wame/I | Title (President, Mayor, Owner, etc.) |
| | Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518 |

570 East Woodrow Wilson • Post Office Box 1700 • Jackson, Mississippi 39215-1700 601/576-7634 • Fax 601/576-7931 • www.HealthyMS.com

Equal Opportunity In Employment/Service

2011 NAY 10 AM 1:18

2010 Annual Drinking Water Quality Report Double Springs Water Association PWS#: 0530008 May 2011

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Gordo Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Double Springs Water Association have received lower susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Wayne Dewberry at 662.263.5009. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Monday of the month at 7:00 PM at the Community Center.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1st to December 31st, 2010 In cases where monitoring wasn't required in 2010, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

| | | | | TEST RESU | JLTS | | | |
|-------------|------------------|-------------------|-------------------|---|--------------------------|------|-----|---|
| Contaminant | Violation Y/N | Date Collected | Level Detected | Range of Detects or # of Samples Exceeding MCL/ACL | Unit Measure -ment | MCLG | MCL | Likely Source of Contamination |
| Inorganio | Contami | inants | | | | | | |
| 8. Arsenic | N | 2010 | 1.5 | No Range | ppm | n/a | 10 | Erosion of natural deposits; runo from orchards; runoff from glass and electronics production waste |

| | | | | | | | | sites; discharge from electronics, glass, and drug factories |
|------------------------------|---|-------|------|----------|-----|-----|--------|---|
| 22. Thallium | N | 2010 | .601 | No Range | ppb | 0.5 | 2 | gg |
| 21. Selenium | N | 2010 | 6.2 | No Range | ddd | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |
| 20. Nitrite (as Nitrogen) | N | 2010 | .1 | .061 | ppm | 1 | 1 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| 16. Fluoride | N | 2010 | .24 | No Range | ppm | 4 | 4 | additive which promotes strong teeth; discharge from fertilizer and aluminum factories |
| 17. Lead | N | 2008* | 3 | 0 | ppb | 0 | AL=15 | systems, erosion of natural deposits |
| 14. Copper | N | 2008* | .1 | 0 | ppm | 1.3 | AL=1.3 | systems; erosion of natural deposits; leaching from wood preservatives |
| 10. Barium | N | 2010 | .169 | No Range | ppm | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |

^{*} Most recent sample. No sample required for 2010

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Double Springs Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

The State of Mississippi

OKTIBBEHA COUNTY

AFFIDAVIT OF PUBLICATION

Before me, in and for said county, this day personally came the undersigned representative of the Starkville Daily News, a newspaper published in the City of Starkville, of said county and state, who being duly sworn deposeth and says that the publication of a certain notice, a true copy of which, is hereto affixed has been made for _______ weeks consecutively, to wit:

| Dated — | Jat | 21 | -, 20_ | 11 |
|----------|-----|----|--------------------|----|
| Dated — | · | | | |
| Dated —— | | | _, 20 __ | |
| Dated — | | | -, 20_ | |
| Dated — | | | -, 20_ | |

Said representative further certifies that the several numbers of the newspaper containing the above mentioned notice have been produced and compared with the copy affixed; and that the publication thereof has been correctly made.

WITNESS MY HAND AND SEAL OF OFFICE, this the

| | ay of JUNE, A.D., 2011 Notary Public | STARKVILLE DAILY NEWS By: Can die John 800 | |
|-------|--|---|----------|
| | OF MGC | () Publisher () Clerk | |
| SEAL: | ID NO. 14276 NOTABY PUBLIC Comm Expires October 19, 2014 | Publication Fee Proof(s) Of Publication Total Charges | \$ \$ |
| | the State of the s | AFFIDAVIT# 35287 | |

P 2011

Report. They report is designed to inform you about the fueley with 1 growing you will be under your and the property of the property your year. You grow you will be under and despectables are purply of desirably which is found with the Confedence of the C

somers less been complesed for our public water system to determine the overall exceptibility of its dimining of potential sources of contamination. The general aussapibility rankings assigned to each well of this system by below, it report contaming lessed information in how this succeptibility determinations were made that bear water operan and it is presided for verying sport exposer. The webs for the Double Springs Water Austroacous

Maximum Contaminant Lavel (MCL) - The "Maximum Alcound" (MCL) is the highest level of a contaminant that is a water. MCLE are say as done to the MCLGs as handle using the best provided transmit fectivology.

Maximum Consumment Lenot Goel (MCLG) - The "Goel" (MCLG) is the level of a contaminant in denixing water balo known or expected risk to health. MCLGs allow for a margin of select.

Macrotum Residual Distributors Lavor (MRDL) — The Ingress level of a distribution; aboved in drinking water. There is convening encance that addition of a distribution is necessary for combol microbial contaminants.

Managem Residual Disorrectural Level Goal (MRDLS) — The level of a disking water distribution to below which there is no known or expected risk of health. MRDLGs do not refer the benefits of the use of distributions to control microbial contaminants.

Parts per neition (spon) or Meagreens per Ner (mg/l) - one part per million corresponds to one minute in two years or a single permy in \$10,000.

Parts per billion (gycl) or Microprisms per iter - one part per billion corresponds to one minute in 2,000 years or a single party vi \$10,000,000.

| Coccaminars | Victor on | Dese Colected | Level Detected | Range of Detects or 8 of Sumples Exceeding MCLIACL | Lira Measure street | HCr0 | M CL | Likely Source of Consumulation |
|------------------------|-----------|------------------|-------------------|---|---------------------------|------|-------------|---|
| Inorganic C | ontam | nants | | | | | | |
| & Artenic | N | 2010 | 10 | No Rarge | ppm | m* | 50 | Excessor of natural deposits, ranof from protecte, ranoff from gless and electronics production wester |
| 10 Beson | H | 2010 | 169 | No Range | pern | · · | , | Discharge of Growing washes pachangs tron metal retrieves erceion of hasural deposes |
| 14 Copper | * | 3006 | | • | pers | 33 | 4-13 | Conselor of household phantons systems, arcetor of natural deposits, leading from wood presentation |
| \$7-Lead | * | 2036 | 3 | • | ppb | Q | AL#16 | |
| 18. Phiombs | 400 | 2010 | 24 | Ho Kange | port | | • | Engine of natural deposes: web addance which promotes strong leads, discharge from ferinzer and alignments factories |
| 20 MAIS (66 Nauges) | * | 2010 | T | OB (.) | ppm | | | Runolf Rom British Use. Beaching from septic tents. Beninge, accessor of natural debreits |
| 2). Sereptura | * | 2010 | 6.2 | No Range | JAN . | | | Discharge from patrolaum and metal reference, arcetor of redund deposits, decharge from transactions. |
| 27. 3746-0 | M | 2010 | 601 | No Parge | pob. | 24 | 3 | LARCHING from one processing area: Dephenge from electronics glass, and drug lactiones |

* Man recent hampin. He tolerale translated for 2510

As you can sen by the table, our agreem had no violations. We're provid that your directing writer meets or exceeds all Tederar and State requirements. We have learned brough our monitoring and sealing that some constituents have been detected however the EPA new document duty your years () SAFE as there is need to

driving water than the general population. Introdupersons who have undergone organ breakfasts, can be perfousely as tall from treations. These pA/CDC guadelines on appropriate means to leave a well-the from the Barle Driving Water Hobbig 1.

The Double Springs Water Association works around the clock to provide top quality water to every tap. We ask help us proved our water sources, which are the heart of our operativity, our way of life and our children's febru